

Case # 3

Alberto Peña

June 21, 2018.



Children's Hospital Colorado

INTERNATIONAL CENTER FOR
**COLORECTAL AND
UROGENITAL CARE**




- 50 yo male patient born with an anorectal malformation
- Colostomy at birth
- Pull-through (no operative reports)
- Colostomy was never closed (just one stoma)


On physical exam – anal stricture



What would you like to do?

- 1) Protocol of anal dilation
- 2) Proximal colostogram and rectal contrast enema
- 3) Sacral X-ray AP and lateral
- 4) Nothing
- 5) I don't know







INTERNATIONAL CENTER FOR
**COLORECTAL AND
UROGENITAL CARE**



- Patient underwent redo anoplasty, will follow the protocol of anal dilation and come back for colostomy closure

Case # 4

Andrea Bischoff

June 21, 2018.



Children's Hospital Colorado

INTERNATIONAL CENTER FOR
**COLORECTAL AND
UROGENITAL CARE**

26 yo, male, born with an anorectal malformation



- Terminal stoma
- “Born without a colon”
- End stage renal disease, currently on hemodialysis, wait list for kidney transplant
- He wants to know if he is a candidate for a stoma pullthrough

What would you like to do?



- 1) Injection of contrast material through the stoma
- 2) Sacral X-ray AP and lateral
- 3) Upper GI with small bowel follow through
- 4) Pelvic MRI
- 5) PSARP
- 6) I don't know



INTERNATIONAL CENTER FOR
**COLORECTAL AND
UROGENITAL CARE**






INTERNATIONAL CENTER FOR
**COLORECTAL AND
UROGENITAL CARE**



INTERNATIONAL CENTER FOR
**COLORECTAL AND
UROGENITAL CARE**



INTERNATIONAL CENTER FOR
**COLORECTAL AND
UROGENITAL CARE**

No colon, no anus – what do you recommend?



- 1) Ileo-anal pullthrough
- 2) Permanent stoma
- 3) Ileal pullthrough with J pouch
- 4) I don't know



Patients that are born
without the anus cannot
have an ileo-anal
pullthrough.